Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

12

1

2

3

4

5

6

1-6. (Canceled)

- 1 7. (Currently amended): A digital signature verifying method, comprising: 2 accepting a digital-signature-attached message; 3 acquiring a log list of a digital signer, wherein said digital-signature-attached 4 message which may have been distributed by said digital signer is to be verified; and 5 checking whether log data of said digital-signature-attached message is registered in said log list[[,]]; 6 7 if the log data is registered in the log list, authenticating that the digital-signature-8 attached message was distributed by the digital signer; and 9 checking whether the digital signature included in the digital-signature-attached 10 message has been generated for the message included in the digital-signature-attached message, 11 using the digital signature and the message included in said digital-signature-attached message
 - 8. (Canceled)

and a public key paired with a secret key of said digital signer.

9. (Original): The digital signature verifying method of claim 7, wherein said digital-signature-attached message further comprises data from a previously signed message, said method further comprising:

checking whether the digital signature included in the digital-signature-attached message has been generated for the message included in the digital-signature-attached message,

using the digital signature, the data from a previously signed message, and the message included

1

2

3

4

5

6

7

1

2

3

4

5

6

7

8

1

2

3

4

5

6.

7

8

7	in said digital-signature-attached message and a public key paired with a secret key of said
8	digital signer.

- 10. (Original): The digital signature verifying method of claim 9, said method further comprising:
 - checking whether data from a previously signed message included in said digital-signature-attached message is included in the log data registered immediately before log data of said digital-signature-attached message in said log list, and if the data from a previously signed message is included in the immediately previous registered log data, authenticating that said log list has not been altered.
- 11. (Original): The digital signature verifying method of claim 7, wherein said log data further comprises a distribution destination, said method further comprising: acquiring a digital-signature-attached message from the distribution destination attached to the log data registered immediately before/after the log data of said digital-signature-attached message in said log list, and
- checking whether the acquired message is included in said immediately previous/subsequent registered log data, and if the message is included, authenticating that said log list has not been altered.
- 12. (Original): The digital signature verifying method of claim 7, wherein said digital-signature-attached message further comprises a timestamp created using a second secret key, said method further comprising:
- acquiring a digital signature and a time data by applying a public key paired with said second secret key to the timestamp included in said digital-signature-attached message; and
- checking whether date and time indicated by the acquired time data exceeds a date and time of signing of said digital-signature-attached message, and if the date and time indicated by the time data does not exceed the date and time of signing of said digital-signature-
- 9 attached message, authenticating the validity of the acquired digital signature.

13-20. (Canceled)

- 21. 1 (Previously presented): A digital signature verifying apparatus, 2 comprising: 3 a processor interconnected with an input device, wherein: 4 said input device accepts a digital-signature-attached message to be verified and a 5 log list of a digital signer; and wherein 6. said processor checks whether log data of said digital-signature-attached message 7 is registered with said log list, and 8 if the log data is registered with the log list, authenticates that the digital-9 signature-attached message has been generated by said digital signer, 10 wherein said processor authenticates whether the digital signature included in said digital-signature-attached message has been generated for the message included in the digital-11 12 signature-attached message, using the digital signature and the message included in said digital-13 signature-attached message and a public key paired with a secret key of said digital signer.
 - 22. (Canceled)

23.

1

said digital-signature-attached message further comprises data from a previously signed
message, and wherein
said processor authenticates whether the digital signature included in said digitalsignature-attached message has been generated for the message included in the digital-signatureattached message, using the digital signature, the data from a previously signed message, and the
message included in said digital-signature-attached message and a public key paired with a secret
key of said digital signer.

(Original): A digital signature verifying apparatus of claim 21, wherein

24.

1

2	said processor checks whether the data from a previously signed message
3	included in said digital-signature-attached message is included in the log data registered
4	immediately before the log data of said digital-signature-attached message in said log list, and if
5	the data from a previously signed message is included in the immediately previous registered log
6	data, said processor authenticates that said log list has not been altered.
1	25. (Original): The digital signature verifying apparatus of claim 21, wherein
2	said log data further comprises a distribution destination, and wherein:
3	said processor acquires a digital-signature-attached message from the distribution
4 .	destination attached to the log data registered immediately before/after the log data of said
5	digital-signature-attached message in said log list, and wherein
6	said processor checks whether the acquired message is included in said
7	immediately previous/subsequent registered log data, and if the message is included, said
8	processor authenticates that said log list has not been altered.
1	26. (Original): The digital signature verifying apparatus of claim 21, wherein
2	said digital-signature-attached message further comprises a timestamp created using a second
3	secret key, and wherein:
4	said processor acquires a digital signature and a time data by applying a public
5	key paired with said second secret key to the timestamp included in said digital-signature-
6	attached message; and wherein
7	said processor checks whether date and time indicated by the acquired time data
8	exceeds a date and time of signing of said digital-signature-attached message, and if the date and
9	time indicated by the time data does not exceed the date and time of signing of said digital-
10	signature-attached message, said processor authenticates the validity of the acquired digital
11	signature.

(Original): A digital signature verifying apparatus of claim 23, wherein

27-29. (Canceled)

1	30. (Previously presented): A computer program product for verifying a
2	digital signature, said computer program product comprising:
3	code that accepts a digital-signature-attached message and a log list from a digital
4	signer; and
5	code that checks whether log data of said digital-signature-attached message is
6	registered with said log list, and if the log data is registered with the log list, authenticates that
7	the digital-signature-attached message has been generated by said digital signer, wherein said
8	processor authenticates whether the digital signature included in said digital-signature-attached
9	message has been generated for the message included in the digital-signature-attached message,
10	using the digital signature and the message included in said digital-signature-attached message
11	and a public key paired with a secret key of said digital signer; and
12	a computer readable storage medium for storing the codes.
	31-33. (Canceled)
1	34. (Previously presented): The digital signing method of claim 1 wherein the
2	registering further includes registering the computed data.
1	35. (Previously presented): The digital signature verifying method of claim 7
2	wherein the digital-signature-attached message that is registered in the log list includes data
3	based on a previously generated digital signature and on a previous message.

1 37. (Previously presented): The digital signature verifying apparatus of claim

(Previously presented): The digital signing apparatus of claim 13 wherein

- 2 21 wherein the digital-signature-attached message that is registered in the log list includes data
- 3 based on a previously generated digital signature and on a previous message.

36.

said processor further registers the computed data.

1

2

· 1

1	38. (New): A digital signing system, said system comprising:
2	a digital signing apparatus;
3	a timestamp issuing apparatus; and
4	a digital signature verifying apparatus,
5	said digital signing apparatus comprising a processor and a communication
6	interface, wherein said processor applies a first secret key to a message or to its hash value to
7	generate a digital signature, said processor transmits said digital signature to said timestamp
8	issuing apparatus by said communication interface and acquires a timestamp in response, and
9	said processor attaches the acquired timestamp to said message to create a digital-signature-
10	attached message,
11	said timestamp issuing apparatus comprising a processor and a communication
12	interface, wherein said processor generates a timestamp by applying a second secret key to data
13	which includes the digital signature sent by said digital signing apparatus, and a reception time of
14	the digital signature, and said processor transmits said timestamp to said digital signing
15	apparatus,
16	said digital signature verifying apparatus comprising a processor interconnected
17	with an input device, wherein said input device accepts a digital-signature-attached message to
18	be verified, and said processor acquires a digital signature and time data by applying a public key
19	paired with the secret key of the timestamp apparatus to the timestamp included in said digital-
20	signature-attached message, and thereupon
21	said processor checks whether date and time indicated by the time data exceeds
22	expiration date and time assigned at said digital signing apparatus, and when the date and time
23	indicated by the time data does not exceed the expiration date and time, said processor
24	authenticates the validity of the said digital signature, and thereupon
25	said processor authenticates whether said digital signature included in said digital-
26	signature-attached message has been generated for the message included in said digital-
27	signature-attached message, using said digital signature, the message included in said digital-

PATENT

- signature-attached message, and a public key paired with the secret key of the digital signing
- 29 apparatus.